

### LATITUDE 3340/3440/3540

Modern design with up-leveled essential productivity features for every business.







### LATITUDE 3340/3440/3540

Modern design with up-leveled essential productivity features for every business.

A broad range of essential features built for any business and any budget, and perfectly suited for the mobile professional who works from anywhere.



Ideal for task-oriented professionals, educators, and students performing advanced curriculum who are driven to produce results and strive for efficiency. They need enterprise-level security, essential intelligence and collaboration features that help them stay productive.





Uses 100% recycled and renewable packaging<sup>21</sup>, including multipack options.

\*Backlit keyboard is optional.

3000 series yet, featuring

components made with

post-consumer recycled plastics. connection for faster data and video downloads.

### Dell Optimizer

We make it intelligent. You make it yours.

In a work-from-anywhere world, powering the world's most intelligent commercial PCs<sup>18</sup> is not enough, Dell Optimizer is extending personalized intelligence to the rest of the Dell ecosystem.

Dell Optimizer lets you accomplish anything with built-in intelligence that learns and adapts to the way you work.



Elevate everyday work with personalized performance extending from your Latitude to the devices within your workspace.



#### An intelligent ecosystem

Enjoy easy pairing and management of your Dell monitors and accessories with the **integration of Dell Display Manager and Dell Peripheral Manager**.

### ()

#### Up level audio

Intelligent Audio delivers sound and mic enhancements reducing background noise using neural noise cancellation and voice isolation technology.

### $\mathcal{M}$

#### Unmatched connectivity

ExpressConnect provides the world's first simultaneous multinetwork connection<sup>19</sup> that joins the best network available.

### Ł

### Extended power

ExpressCharge analyzes your power usage habits to improve PC battery utilization and extends run times by charging your system faster when you need a boost in power. With Dell Optimizer, optimization and data collection follow a stringent process to ensure your privacy and security.

Improved app performance ExpressResponse analyzes how

boost performance.

you use your preferred apps to

Click here to learn more about Dell Optimizer.

Dell Optimizer features vary per PC model and platform. Please refer to the Availability Matrix for more details.

## Make yourself more resilient to cyberattacks with Dell Trusted Devices.

Attacks are inevitable. In fact, 69% of organizations report a cyber-attack due to a poorly managed internet-facing asset in the prior 12 months.\* Dell Technologies understands that today's security

challenges include managing an evolving threat landscape with a modern work environment in mind. With Dell commercial devices, catch and repel malicious activity before it compromises your system. Latitude, one of the industry's most secure commercial PCs\*\*, offers layers of security features to keep you protected and give you visibility to threats for swift action.

Secure anywhere-work with hardware and firmware defenses built for our hyper-distributed world.



### ${\ensuremath{\boxtimes}}$

### Stay protected from evolving threats

Our unique BIOS and firmware verification provides greater security than other PCs. Assess a corrupt BIOS, repair it and gain insights that reduce exposure to future threats.

## 9

### Spot ticking timebombs

Indicators of Attack, an early-alert feature offered only by Dell, scans for behavior-based threats before they can do damage.

### Detect chassis tampering

Detect unauthorized access, e.g., malicious implanted hardware or software, data/component theft inside system chassis.

### <u>2</u>6

### Secure end user credentials

SafeID, a dedicated FIPS Level 2 certified security chip, keeps user credentials hidden from malware.



### Be safe from first boot

Rigorous, state-of-the-art supply chain controls reduce the risk of product tampering. Optional addons like the Dell-unique Secured Component Verification provide additional assurance of device integrity.

### Protect data everywhere

Stay protected against advanced threats with optional softwarebased protections from our ecosystem of best-of-breed partners (CrowdStrike, VMware Carbon Black, Secureworks, Netskope and Absolute).

\*ESG Survey: Security Hygiene and Posture Management, Jan. 2022 \*Dell internal analysis, September 2022. Not all features available with all PCs. Additional purchase required for some features

| FEATURE  | TECHNICAL SPECIFICATION   |   |   |
|--|---|---|---|
| MODEL NUMBER <sup>1</sup>                            | Latitude 3340 (Laptop or 2-in-1)  | Latitude 3440   | Latitude 3540   |
| PROCESSOR OPTIONS <sup>1</sup>                       | 13th Gen Intel® Core™ processors up to i7, U15<br>12th Gen Intel® Core™ i3 processor, U15   | 13th Gen Intel® Core™ processors up to i7, U15<br>12th Gen Intel® Celeron® and Core™ i3 processors, U15   | 13th Gen Intel <sup>®</sup> Core™ processors up to i7, U15<br>12th Gen Intel <sup>®</sup> Celeron® and Core™ i3 processors, U15   |
| OPERATING SYSTEM <sup>1</sup>                        | Microsoft® Windows 10 Pro 64-bit (11 License)<br>Microsoft® Windows 11 Home 64-bit<br>Microsoft® Windows 11 Pro 64-bit<br>Ubuntu® 22.04 LTS, 64-bit (Laptop only)   | Microsoft® Windows 10 Pro 64-bit (11 License)<br>Microsoft® Windows 11 Home 64-bit<br>Microsoft® Windows 11 Pro 64-bit<br>Ubuntu® 22.04 LTS, 64-bit   | Microsoft® Windows 10 Pro 64-bit (11 License)<br>Microsoft® Windows 11 Home 64-bit<br>Microsoft® Windows 11 Pro 64-bit<br>Ubuntu® 22.04 LTS, 64-bit   |
| MEMORY OPTIONS <sup>1,2,3</sup>                      | Up to 16 GB LPDDR5 4800 MT/s (on board)<br>Up to 16 GB LPDDR5x 4800 MT/s (on board),<br>(coming soon)   | Up to 64 GB DDR4 3200 MT/s (socketed)   | Up to 64 GB DDR4 3200 MT/s (socketed)   |
| CHIPSET <sup>1</sup>                                 | Integrated with the processor   | Integrated with the processor   | Integrated with the processor   |
| INTEL RESPONSIVENESS<br>TECHNOLOGIES <sup>1, 6</sup> | Intel® Rapid Storage Technology   | Intel® Rapid Storage Technology   | Intel <sup>®</sup> Rapid Storage Technology   |
| GRAPHICS <sup>1,12</sup>                             | Integrated:<br>Intel <sup>®</sup> Iris <sup>®</sup> Xe Graphics with Intel <sup>®</sup> Core™ i5/i7<br>processors<br>Intel <sup>®</sup> UHD Graphics with Intel <sup>®</sup> Core™ i3 processors  | Integrated:<br>Intel <sup>®</sup> Iris <sup>®</sup> Xe Graphics with Intel <sup>®</sup> Core <sup>™</sup> i5/i7<br>processors and dual-channel memory configuration<br>Intel <sup>®</sup> UHD Graphics with Intel <sup>®</sup> Celeron <sup>®</sup> and Core <sup>™</sup><br>i3 processors or single channel memory<br>Discrete:<br>NVIDIA <sup>®</sup> GeForce <sup>®</sup> MX550, 2 GB GDDR6  | Integrated:<br>Intel <sup>®</sup> Iris <sup>®</sup> Xe Graphics with Intel <sup>®</sup> Core™ i5/i7<br>processors and dual-channel memory configuration<br>Intel <sup>®</sup> UHD Graphics with Intel <sup>®</sup> Celeron <sup>®</sup> and Core™<br>i3 processors or single channel memory<br>Discrete:<br>NVIDIA <sup>®</sup> GeForce <sup>®</sup> MX550, 2 GB GDDR6  |
| DISPLAY <sup>1</sup>                                 | Laptop<br>13.3" 16:9 FHD (1920 x 1080), WVA/IPS, Non-Touch,<br>Anti-Glare, 250 nit, NTSC 45%<br><b>2-in-1</b><br>13.3" 16:9 FHD (1920 x 1080), WVA/IPS, Touch,<br>Anti-Glare, 250 nit, NTSC 45%<br>13.3" 16:9 FHD (1920 x 1080), WVA/IPS, Touch,<br>Anti-Reflective, Anti-Glare, Anti-Smudge, 300 nit, NTSC<br>72%, Corning <sup>®</sup> Gorilla Glass <sup>®</sup> , Active Pen Support  | 14" 16:9 HD (1366 x 768), TN, Non-Touch, Anti-Glare,<br>220 nit, NTSC 45%<br>14" 16:9 FHD (1920 x 1080), WVA/IPS, Non-Touch, Anti-<br>Glare, 250 nit, NTSC 45%<br>14" 16:9 FHD (1920 x 1080), WVA/IPS, Touch, Anti-<br>Glare, 300 nit, NTSC 72%   | 15.6" 16:9 HD (1366 x 768), TN, Non-Touch, Anti-Glare,<br>220 nit, NTSC 45%,<br>15.6" 16:9 FHD (1920 x 1080), WVA/IPS, Non-Touch,<br>Anti-Glare, 250 nit, NTSC 45%<br>15.6" 16:9 FHD (1920 x 1080), WVA/IPS, Touch, Anti-<br>Glare, 250 nits NTSC 45%   |
| STORAGE OPTIONS <sup>1,3</sup>                       | Up to 1TB, M.2 2230 PCIe NVMe, SSD, Class 35<br>Up to 1TB, M.2 2280 PCIe NVMe, SSD, Class 40  | Up to 1 TB, M.2 2230, PCIe NVMe, SSD, Class 35<br>Up to 1 TB, M.2 2280, PCIe NVMe, SSD, Class 40  | Up to 1 TB, M.2 2230, PCIe NVMe, SSD, Class 35<br>Up to 1 TB, M.2 2280, PCIe NVMe, SSD, Class 40  |
| SECURITY   | TPM 2.0 FIPS-140-2 Certified / TCG Certified<br>Optional fingerprint reader in power button (Windows<br>Hello compliant)<br>Optional Face IR camera (Windows Hello compliant)<br>Network based Contextual Privacy<br>Camera Shutter<br>Chassis Intrusion Detection<br>Dell SafeBIOS<br>Dell Client Command Suite<br>Factory Installed Dell Command [Update<br>Dell Performance<br>Dell SupportAssist for home PCs<br>Dell Tusted Devices<br>Additional Software Security Features<br>Netskope™ Cloud Access Security Broker (CASB)<br>Netskope™ Cloud Access Security Broker (CASB)<br>Netskope™ Zero Trust Private Access<br>Vmware® Carbon Black Endpoint Standard<br>Vmware® Carbon Black Endpoint Standard +<br>Secureworks® Taegis™ XDR Bundle<br>Vmware® Carbon Black Endpoint Advanced<br>Vmware® Carbon Black Endpoint Advanced<br>Vmware® Carbon Black Endpoint Advanced<br>Vmware® Workspace ONE Standard<br>VMware® Workspace ONE Standard<br>VMware® Workspace ONE Advanced<br>VMware® Workspace ONE Advanced<br>VMware® Workspace ONE Advanced<br>VMware® Workspace ONE Advanced<br>VMware® Endpoint - Visibility<br>Absolute® Endpoint - Control<br>Absolute® Endpoint - Resilience | TPM 2.0 FIPS-140-2 Certified / TCG Certified<br>Optional fingerprint reader in power button (Windows<br>Hello compliant)<br>Optional Face IR camera (Windows Hello compliant)<br>Network based Contextual Privacy<br>Camera Shutter<br>Chassis Intrusion Detection<br>Dell SafeBIOS<br>Dell Client Command Suite<br>Factory Installed Dell Command Update<br>Dell Client Command Suite<br>Factory Installed Dell Command Update<br>Dell SupportAssist for home PCs<br>Dell Trusted Devices<br>Additional Software Security Features<br>Netskope™ Cloud Access Security Broker (CASB)<br>Netskope™ Secure Web Gateway<br>Netskope™ Zero Trust Private Access<br>Vmware® Carbon Black Endpoint Standard<br>Vmware® Carbon Black Endpoint Standard<br>Vmware® Carbon Black Endpoint Advanced<br>Vmware® Carbon Black Endpoint Advanced<br>Vmware® Carbon Black Endpoint Enterprise<br>Secureworks® Taegis™ XDR<br>VMware® Workspace ONE Standard<br>VMware® Workspace ONE Enterprise<br>Absolute® Endpoint - Visibility<br>Absolute® Endpoint - Control<br>Absolute® Endpoint - Resilience | TPM 2.0 FIPS-140-2 Certified / TCG Certified<br>Optional fingerprint reader in power button (Windows<br>Helio compliant)<br>Optional Face IR camera (Windows Helio compliant)<br>Network based Contextual Privacy<br>Camera Shutter<br>Chassis Intrusion Detection<br>Dell SafeBIOS<br>Dell SafeBIO<br>Dell Client Command Suite<br>Factory Installed Dell Command Update<br>Dell Performance<br>Dell SupportAssist for home PCs<br>Dell Trusted Devices<br>Additional Software Security Features<br>Netskope™ Cloud Access Security Broker (CASB)<br>Netskope™ Cloud Access Security Broker (CASB)<br>Netskope™ Cloud Access Security Broker (CASB)<br>Netskope™ Cloud Access Security Standard<br>Ymware® Carbon Black Endpoint Standard<br>Ymware® Carbon Black Endpoint Standard +<br>Secureworks® Taegis™ XDR Bundle<br>Ymware® Carbon Black Endpoint Enterprise<br>Secureworks® Taegis™ XDR<br>Wiware® Workspace ONE Standard<br>YMware® Workspace ONE Standard<br>YMware® Workspace ONE Enterprise<br>Absolute® Endpoint - Visibility<br>Absolute® Endpoint - Control<br>Absolute® Endpoint - Resilience |
| DOCKING  | (Docks are optional, sold separately)<br>Dell Thunderbolt <sup>™</sup> Dock - WD22TB4<br>Dell Performance Dock - WD19DCS<br>Dell USB-C Dock - WD19S<br>Dell Universal Dock - UD22<br>Dell Dual Charge Dock - HD22Q  | (Docks are optional, sold separately)<br>Dell Thunderbolt™ Dock - WD22TB4<br>Dell Performance Dock - WD19DCS<br>Dell USB-C Dock - WD19S<br>Dell Universal Dock - UD22<br>Dell Dual Charge Dock - HD22Q  | (Docks are optional, sold separately)<br>Dell Thunderbolt™ Dock - WD22TB4<br>Dell Performance Dock - WD19DCS<br>Dell USB-C Dock - WD19S<br>Dell Universal Dock - UD22<br>Dell Dual Charge Dock - HD22Q  |

7

### LATITUDE 3340/3440/3540

#### FEATURE TECHNICAL SPECIFICATION

| MULTIMEDIA <sup>1</sup>                                    | FHD+IR Camera (2-in-1 only)  | FHD+IR Camera  | FHD+IR Camera  |
|--|--|--|--|
|  | Experience: Temporal Noise Reduction (TNR) +   | Experience: Temporal Noise Reduction (TNR) +   | Experience: Temporal Noise Reduction (TNR) +   |
|  | Camera Shutter   | Camera Shutter   | Camera Shutter   |
|  | FHD RGB Camera (Laptop or 2-in-1)  | FHD RGB Camera   | FHD RGB Camera   |
|  | Experience: Temporal Noise Reduction (TNR) +   | Experience: Temporal Noise Reduction (TNR) +   | Experience: Temporal Noise Reduction (TNR) +   |
|  | Camera Shutter   | Camera Shutter   | Camera Shutter   |
|  | HD RGB Camera (Laptop only)  | HD RGB Camera  | HD RGB Camera  |
|  | Experience: Temporal Noise Reduction (TNR) +   | Experience: Temporal Noise Reduction (TNR) +   | Experience: Temporal Noise Reduction (TNR) +   |
|  | Camera Shutter   | Camera Shutter   | Camera Shutter   |
|  | 2 x Speakers, Waves MaxxAudio Pro  | 2 x Speakers, Waves MaxxAudio Pro  | 2 x Speakers, Waves MaxxAudio Pro  |
|  | 2 x Noise Canceling Microphones  | 2 x Noise Canceling Microphones  | 2 x Noise Canceling Microphones  |
|  | Intelligent Audio with Neural Noise Cancelation  | Intelligent Audio with Neural Noise Cancelation  | Intelligent Audio with Neural Noise Cancelation  |
|  | Universal Audio Jack"  | Universal Audio Jack   | Universal Audio Jack   |
| BATTERY OPTIONS <sup>15</sup>                              | 3-cell, 42 Wh, Li-ion, ExpressCharge 1.0 <sup>™</sup> Capable  | 3-cell, 42 Wh, Li-ion, ExpressCharge 1.0™ Capable  | 3-cell, 42 Wh, Li-ion, ExpressCharge 1.0 <sup>™</sup> Capable  |
|  | 3-cell, 54 Wh, Li-ion, ExpressCharge 1.0 <sup>™</sup> Capable  | 3-cell, 54 Wh, Li-ion, ExpressCharge 1.0™ Capable  | 3-cell, 54 Wh, Li-ion, ExpressCharge 1.0 <sup>™</sup> Capable  |
|  | 3-cell, 42 Wh, Li-ion, Long Life Cycle, ExpressCharge  | 3-cell, 42 Wh, Li-ion, Long Life Cycle, ExpressCharge  | 3-cell, 42 Wh, Li-ion, Long Life Cycle, ExpressCharge  |
|  | 1.0 <sup>™</sup> Capable   | 1.0™ Capable   | 1.0 <sup>™</sup> Capable   |
|  | 3-cell, 54 Wh, Li-ion, Long Life Cycle, ExpressCharge  | 3-cell, 54 Wh, Li-ion, Long Life Cycle, ExpressCharge  | 3-cell, 54 Wh, Li-ion, Long Life Cycle, ExpressCharge  |
|  | 1.0 <sup>™</sup> Capable   | 1.0™ Capable   | 1.0 <sup>™</sup> Capable   |
| POWER OPTIONS <sup>1</sup>                                 | 65W adapter, Type-C  | 65W adapter, Type-C  | 65W adapter, Type-C  |
|  | 65W adapter, 4.5mm barrel  | 65W adapter, 4.5mm barrel  | 65W adapter, 4,5mm barrel  |
|  | 60W adapter, Type-C, Ultralight Mini   | 60W adapter, Type-C, Ultralight Mini   | 60W adapter, Type-C, Ultralight Mini   |
|  | Adapter (Japan only)   | Adapter (Japan only)   | Adapter (Japan only)   |
| CONNECTIVITY<br>OPTIONS <sup>1</sup>                       | Microsoft Modern Standby compliant<br>Wireless LAN Options':<br>Realtek Wi-Fi 6 RTL8852BE, 2x2, Bluetooth 5.3<br>Intel® Wi-Fi 6E (6GHz) AX211, 2x2, Bluetooth 5.3  | Microsoft Modern Standby compliant<br>Wireless LAN Options':<br>Realtek Wi-Fi 6 RTL8852BE, 2x2, Bluetooth 5.3<br>Intel® Wi-Fi 6E (6GHz) AX211, 2x2, Bluetooth 5.3<br>Mobile Broadband Options:®<br>Intel® XMM™ 7560R+ Global LTE-Advanced Cat 16<br>WWAN (DW5823e), (eSIM capable)<br>Intel® XMM™ 7560R+ LTE-Advanced Cat 16 WWAN<br>(DW5823e) China, Turkey<br>Intel® XMM™ 7560R+ LTE-Advanced Cat 16 WWAN<br>(DW5823e), eSIM, AT&T, Verizon, T-Mobile, US only | Microsoft Modern Standby compliant<br>Wireless LAN Options':<br>Realtek Wi-Fi 6 RTL8852BE, 2x2, Bluetooth 5.3<br>Intel® Wi-Fi 6E (6GHz) AX211, 2x2, Bluetooth 5.3<br>Mobile Broadband Options:®<br>Intel® XMM™ 7560R+ Global LTE-Advanced Cat 16<br>WWAN (DW5823e), (eSIM capable)<br>Intel® XMM™ 7560R+ LTE-Advanced Cat 16 WWAN<br>(DW5823e) China, Turkey<br>Intel® XMM™ 7560R+ LTE-Advanced Cat 16 WWAN<br>(DW5823e), eSIM, AT&T, Verizon, T-Mobile, US only |
| PORTS, SLOTS &<br>CHASSIS <sup>1</sup>                     | 1x USB Type-C 3.2 Gen2 with Power Delivery &<br>DisplayPort 1.4<br>2x USB 3.2 Gen1 (1x with PowerShare)<br>1x HDMI 1.4<br>1x Optional Touch Fingerprint Reader in Power Button<br>1x Universal Audio Jack<br>1x barrel power adapter port<br>Wedge Shaped Lock Slot  | 1x USB Type-C 3.2 Gen2 with Power Delivery &<br>DisplayPort 1.4<br>3x USB 3.2 Gen1 (1x with PowerShare)<br>1x HDMI 1.4<br>1x RJ-45 Ethernet port<br>1x Optional external uSIM card tray (WWAN only)<br>1x Optional Touch Fingerprint Reader in Power Button<br>1x Universal Audio Jack<br>1x barrel power adapter port<br>Wedge Shaped Lock Slot   | 1x USB Type-C 3.2 Gen2 with Power Delivery &<br>DisplayPort 1.4<br>3x USB 3.2 Gen1 (1x with PowerShare)<br>1x HDMI 1.4<br>1x RJ-45 Ethernet port<br>1x Optional external uSIM card tray (WWAN only)<br>1x Optional Touch Fingerprint Reader in Power Button<br>1x Universal Audio Jack<br>1x barrel power adapter port<br>Wedge Shaped Lock Slot   |
| TOUCHPAD   | Precision Clickpad with multi-touch gesture support  | Precision Clickpad with multi-touch gesture support  | Precision Clickpad with multi-touch gesture support  |
| DIMENSIONS &<br>WEIGHT <sup>1,13</sup>                     | Width: 306.0mm / 12.0in<br>Depth: 210.9mm / 8.3in<br>Height (front): 16.8mm / 0.66in<br>Height (rear): 18.6mm / 0.73in Laptop, 18.7mm / 0.74in<br>2-in-1<br>Screen to Body Ratio: 82.3% Laptop, 82.8% 2-in-1<br>Laptop Starting weight: 1.25kg / 2.76lbs<br>2-in-1 Starting weight: 1.35kg / 2.98lbs   | Width: 322.2mm / 12.7in<br>Depth: 219.4mm / 8.6in<br>Height (front): 17.7mm / 0.70in<br>Height (rear): 19.4mm / 0.76in<br>Screen to Body Ratio: 84.5%<br>Starting weight: 1.54kg / 3.40lbs   | Width: 359.0mm / 14.1in<br>Depth: 239.7mm / 9.4in<br>Height (front): 18.1mm / 0.71in<br>Height (rear): 20.4mm / 0.80in<br>Screen to Body Ratio: 85.3%<br>Starting weight: 1.81kg / 3.99lbs   |
| REGULATORY AND<br>ENVIRONMENTAL<br>COMPLIANCE <sup>1</sup> | Laptop: Regulatory Model: P167G;<br>Regulatory Type: P167G001<br>2-in-1: Regulatory Model: P168G;<br>Regulatory Type: P168G001<br>ENERGY STAR<br>EPEAT Registered. For specific country participation<br>and rating, please see www.epeat.net<br>TCO compliant configurations available<br>Halogen-Free/ Arsenic-Free<br>BFR/PVC free <sup>8</sup> | Regulatory Model: P169G;<br>Regulatory Type: P169G001<br>ENERGY STAR<br>EPEAT Registered. For specific country participation<br>and rating, please see www.epeat.net<br>TCO compliant configurations available<br>Halogen-Free/ Arsenic-Free<br>BFR/PVC free <sup>8</sup>  | Regulatory Model: P170G;<br>Regulatory Type: P170G001<br>ENERGY STAR<br>EPEAT Registered. For specific country participation<br>and rating, please see www.epeat.net<br>TCO compliant configurations available<br>Halogen-Free/ Arsenic-Free<br>BFR/PVC free <sup>8</sup>  |

### FEATURE TECHNICAL SPECIFICATION

| INPUT <sup>1</sup>                   | Optional 10-Finger Touch Display<br>Microsoft® Precision Clickpad<br>Spill Resistant Non-Backlit Keyboard<br>Spill Resistant Backlit Keyboard<br>Dell Premier Rechargeable Active Pen - PN7522W<br>(optional, sold separately, 2-in-1 only)<br>Dell Active Pen - PN5122W (optional, sold separately,<br>2-in-1 only)   | Optional 10-Finger Touch Display<br>Microsoft® Precision Clickpad<br>Spill Resistant Non-Backlit Keyboard<br>Spill Resistant Backlit Keyboard   | Optional 10-Finger Touch Display<br>Microsoft® Precision Clickpad<br>Spill Resistant Non-Backlit Keyboard<br>Spill Resistant Backlit Keyboard   |
|--------------------------------------|--|---|---|
| SENSORS <sup>1</sup>                 | Gyroscope (2-in-1 only)<br>eCompass/Magnetometer (2-in-1 only)<br>Accelerometer (2-in-1 only)<br>Wake/Power on with lid open   | GPS (via WWAN Card only)<br>Adaptive Thermal Performance (Discrete graphics only)<br>Wake/Power on with lid open  | GPS (via WWAN Card only)<br>Adaptive Thermal Performance (Discrete<br>graphics only)<br>Wake/Power on with lid open   |
| SYSTEMS<br>MANAGEMENT <sup>1</sup>   | Dell Client Command Suite available (dell.com/<br>command), Factory Installed Dell Client Command  <br>Update, Dell Command   Power Manager  <br>Dell Optimizer  | Dell Client Command Suite available (dell.com/<br>command), Factory Installed Dell Client Command  <br>Update, Dell Command   Power Manager  <br>Dell Optimizer   | Dell Client Command Suite available (dell.com/<br>command), Factory Installed Dell Client Command<br>  Update, Dell Command   Power Manager<br>  Dell Optimizer   |
| WARRANTY AND<br>SERVICE <sup>1</sup> | Limited Hardware Warranty <sup>4</sup> , Standard 1 year Mail-in<br>Service after Remote Diagnosis <sup>®</sup> , optional 3, 4 and 5<br>year hardware warranty extensions, and 3-5 year Dell<br>ProSupport contracts available <sup>11</sup>  | Limited Hardware Warranty <sup>4</sup> , Standard 1 year Mail-in<br>Service after Remote Diagnosis <sup>10</sup> , optional 3, 4 and 5<br>year hardware warranty extensions, and 3-5 year Dell<br>ProSupport contracts available <sup>11</sup>  | Limited Hardware Warranty <sup>4</sup> , Standard 1 year<br>Mail-in Service after Remote Diagnosis <sup>10</sup> , optional<br>3, 4 and 5 year hardware warranty extensions,<br>and 3-5 year Dell ProSupport contracts available <sup>11</sup>  |
| PERIPHERAL<br>ECOSYSTEM <sup>1</sup> | Powerful accessories designed and tested for Latitude 3340 enable seamless productivity to work from anywhere.   | Powerful accessories designed and tested for<br>Latitude 3440 enable seamless productivity to<br>work from anywhere.  | Powerful accessories designed and tested for<br>Latitude 3540 enable seamless productivity<br>to work from anywhere.  |
| SUSTAINABILITY                       | <ul> <li>30% post-consumer recyled (PCR) plastic in lid/top cover</li> <li>50% PCR plastic in LCD bezel</li> <li>30% PCR plastic in bottom cover</li> <li>50% PCR plastic in battery frame</li> <li>50% PCR plastic in 65W Type-C adapter</li> <li>30% PCR plastic in 60W Type-C adapter (Japan only)</li> <li>Packaging made from 100% recycled or renewable</li> </ul> | 30% PCR plastic in palmrest<br>50% PCR plastic in LCD bezel<br>50% PCR plastic in bottom cover<br>50% PCR plastic in battery frame<br>50% PCR plastic in 65W Type-C adapter<br>30% PCR plastic in 60W Type-C adapter<br>(Japan only)<br>Packaging made from 100% recycled or renewable<br>materials | 30% PCR plastic in palmrest<br>50% PCR plastic in LCD bezel<br>50% PCR plastic in bottom cover<br>50% PCR plastic in battery frame<br>50% PCR plastic in 65W Type-C adapter<br>30% PCR plastic in 60W Type-C adapter<br>(Japan only)<br>Packaging made from 100% recycled or<br>renewable materials |